



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/600,936	10/03/2000	Mitsuaki Nakamura	49917(868)	2694
21874	7590	08/15/2006	EXAMINER	
EDWARDS & ANGELL, LLP P.O. BOX 55874 BOSTON, MA 02205			EDWARDS, PATRICK L	
			ART UNIT	PAPER NUMBER
			2624	

DATE MAILED: 08/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/600,936

Applicant(s)

NAKAMURA ET AL.

Examiner

Patrick L. Edwards

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 May 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 8-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-12 and 14-29 is/are rejected.
- 7) ☒ Claim(s) 13 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 06-27-2006.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

Art Unit: 2624

DETAILED ACTION

1. The response received on 05-30-2006 has been placed in the file and was considered by the examiner. An action on the merits follows.

Response to Arguments

2. The arguments filed on 05-30-2006 have been fully considered. A response to these arguments is provided below.

35 USC 112, Second Paragraph Rejections

Summary of Argument:

Applicant argues that the rejection to claims 14, 15, 18, and 26 has been obviated by the deletion of the phrase "at the same time."

Examiner's Response:

The examiner agrees. The rejections are hereby withdrawn.

Prior Art Rejections

Arguments and Responses:

(a) Applicant alleges that the Shiraiwa reference does not teach the luminance correction means required by the claims.

Response:

The limitation in question has been argued in this same capacity through several rounds of prosecution and has not been amended. The examiner's position with respect to this limitation is clear from the record. The rejection will kindly be repeated below.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1 and 9 are rejected under 35 U.S.C. 103a as being unpatentable over the combination of Shiraiwa (US Patent 6,201,893) and Hayashi (USPN 6,271,934).

Art Unit: 2624

With respect to claim 1, which is representative of claim 9, Shiraiwa discloses a display means with predetermined gradation characteristics (column 3, line 54 and element 40 of Figure 1). Although predetermined gradation characteristics are not explicitly disclosed in Shiraiwa, it is well known in the art that display devices are inherently associated with predetermined gradation characteristics.

Shiraiwa also discloses an image input means for inputting an image composed of pixels (column 3, line 52). The color image pickup unit (element 10 of Figure 1) disclosed in Shiraiwa is analogous to an input means as stated in the application.

Shiraiwa discloses a contrast estimation means (discussed in the below paragraph).

Shiraiwa further discloses a luminance correction means. The 'image reproduction processing section' (element 35) is analogous to the claimed luminance correction means (Shiraiwa col. 8 lines 12-16: The reference describes using 'separately determined image reproduction parameters' to determine one specific image reproduction parameter, and then processing the image based on this parameter). Thus, Shiraiwa clearly discloses performing luminance correction (e.g. white balance adjustment, as disclosed at col. 5 lines 27-28). Shiraiwa also clearly discloses that the luminance correction means is based on estimated contrast (e.g. the intensity distribution, or the wiener spectrum (which is a measurement of noise power density which requires a contrast estimate for its determination), or the color range (another estimate of contrast), etc.) (col. 4 lines 20-34). Shiraiwa also clearly discloses that the luminance correction means is based on gradation characteristics (col. 4 lines 25-27: The reference describes a 'gradation characteristic', a 'gradation conversion curve', and a 'gradation conversion look up table'). These gradation characteristics are associated with a display device, as is discussed in the above response to arguments.

Shiraiwa discloses a luminance correction means that utilizes gradation characteristics. However, Shiraiwa fails to expressly disclose that this luminance correction comprises making the luminance pixels linearly symmetrical with the gradation characteristics. Hayashi, on the other hand, discloses specifics of a gradation curve and shows that this conversion curve is linearly symmetric (i.e. the correction comprises making luminance pixels linearly symmetrical with gradation characteristics) (Hayashi Fig. 7 in conjunction with col. 10 lines 36-39 and col. 11 lines 37-59 and elsewhere in the specification: The Figure and accompanying description in hayashi show a gradation conversion curve for luminance correction which produces linearly symmetrical luminance correction results.). It would have been obvious to one reasonably skilled in the art at the time of the invention to modify Shiraiwa's method of correcting luminance by using a gradation conversion curve to ensure that this correction produced a linearly symmetrical result as taught by Hayashi. Such a modification would have allowed for an effective and easily implementable gradation conversion curve that was well known in the art.

Shiraiwa also discloses that said display means display an image that has been corrected by said luminance correction means (column 4 lines 48-51).

Regarding claim 14, Shiraiwa and Hayashi both disclose display devices—which have linear gradation characteristics.

Art Unit: 2624

5. Claims 2, 6, 8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa, Hayashi, and Tokuyama (US Patent 6,240,206). The arguments as to the relevance of Shiraiwa and Hayashi as applied to claim 1 above is incorporated herein.

With regard to claim 2, which is representative of claim 10, Shiraiwa discloses a display means having predetermined gradation characteristics, an image input means for inputting an image composed of a plurality of pixels and a luminance correction means that corrects the luminance of pixels constituting an image based on gradation characteristics. Shiraiwa additionally discloses that said display means displays the image in which the luminance of each of the pixels has been corrected by the luminance correction means. Shiraiwa does not disclose a character region extraction means or a sharpening means.

Tokuyama discloses a character region extracting means for extracting character regions from an image (column 2, lines 20-28). The region separating section (element 12, Figure 1) as disclosed in Tokuyama is analogous to a region extracting means as stated in the application.

Tokuyama discloses carrying out sharpening for the character region at a sharpening level higher than the level of sharpening performed for the remaining regions (Tokuyama col. 11 line 37 – col. 12 line 16 in conjunction with Figure 10). This occurs in the event that the value of XB is between 0 and –25000, the value of XA is between 0 and 50000, and the value of XC is between 0 and 25000. In this situation, the photographic and spot regions (which correspond to XA and XC, respectively) are filtered at one of the predetermined sharpening levels shown in Figures 11(a)-(i) and the character region (which corresponds to XB) is filtered at a sharpening level higher than the other regions. The degree of enhancement as disclosed in Shiraiwa is analogous to the level of sharpening recited in the claim.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the image processing system of Shiraiwa to include character region extraction means and sharpening means for sharpening character regions at a higher level than non-character regions as taught by Tokuyama. Such a modification would have allowed for an image processing apparatus capable of improving the quality of an image comprised of character regions and non-character regions.

With regard to claim 6, Shiraiwa discloses contrast correction means for raising the contrast of the image on the basis of estimated contrast (Shiraiwa column 6 lines 53-59). Shiraiwa discloses performing luminance distribution smoothing processing on an image on the basis of its contrast. Luminance distribution smoothing is a method well known in the art for enhancing the contrast of an image. Enhancing the contrast of an image is analogous to raising the contrast of an image or lowering it as needed based on the histogram of luminance levels (column 6 lines 57-58). Said luminance distribution smoothing determines image reproduction parameters for pixel luminance. Said parameters, which are held in the image reproduction parameter determination section (element 32 of Figure 1), are then used by the image reproduction processing section (element 35 of Figure 1) to produce image data. As a result, the combination of the parameter determination section and the processing section as disclosed in Shiraiwa is analogous to contrast correction means as stated in the application.

Art Unit: 2624

With regards to claim 8, the combination of Shiraiwa and Tokuyama discloses a system comprised of character region extracting means, sharpening means and luminance correction means. Shiraiwa further discloses performing image reproduction processing on an image where the pixels are represented by three color components (Shiraiwa column 3, lines 65-68 with column 4 lines 1-19). Shiraiwa discloses performing image reproduction processing on digital RGB data, which is analogous to a case where luminance is represented by the sum of predetermined three color components as stated in the application.

Regarding claim 15, Shiraiwa and Hayashi both disclose display devices—which have linear gradation characteristics.

6. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shiraiwa and Hayashi, and further in view of Kuo (US Patent 5,982,926). The arguments as to the relevance of the aforesaid combination are incorporated herein.

With regard to claim 11, which is representative of claim 12, Shiraiwa discloses a contrast estimation means for estimating contrast of an input image and a luminance correction means for raising the contrast of an input image. Shiraiwa does not define the contrast in terms of a luminance corresponding to lines and dots in the image and a luminance corresponding to the background of the image. Shiraiwa also fails to expressly disclose that the contrast of the image is raised to a maximum contrast corresponding to a lower limit of luminance (V_{min}) and an upper limit of luminance (V_{max}).

Kuo defines the contrast of the input image in terms of luminance components y_{min} and y_{bkg} ($[y_{min}, y_{bkg}]$) (column 9 line 38). Luminance term y_{min} corresponds to the foreground of a textual image document (column 9, lines 29-30 and column 9, line 11). The foreground of a textual image document as disclosed in Kuo is analogous to lines and dots generated in the input image as stated in the application and luminance term y_{min} from Kuo is analogous to L_v as stated in the application. Luminance term y_{bkg} corresponds to the background of an image (column 9, lines 19-21) and is analogous to luminance term H_v as stated in the application.

Kuo further discloses enhancing the contrast of the image by mapping the luminance component from $[y_{min}, y_{bkg}]$ to $[Y_{MIN}, Y_{MAX}]$, where Y_{MIN} and Y_{MAX} are, respectively, the minimum and maximum Y values of available luminances (column 9, lines 37-41). The term $[Y_{MIN}, Y_{MAX}]$ disclosed in Kuo is analogous to $[V_{MIN}, V_{MAX}]$ as stated in the application. The idea of enhancing contrast by mapping luminance components as disclosed in Kuo is analogous to raising the contrast as stated in the application.

It would have been obvious at the time of the invention to modify Shiraiwa's contrast estimation and luminance correction means by defining contrast of an image in terms of two luminance terms and mapping those luminance terms to minimum and maximum levels in order to enhance the contrast of the image. Such a modification would have allowed for a method that effectively removes blurring from an image and maximizes contrast (Kuo column 9, lines 57-58). It also would have allowed for a contrast enhancing method that utilized the full range of luminance values (Kuo column 8, lines 56-57).

Art Unit: 2624

7. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa, Hayashi, and Tokuyama as applied to claims 2, 6, 8 and 10 above, and further in view of Takagi ("Selective Image Sharpening", Image Analysis Handbook. University of Tokyo Press January 17 1991, page 549).

The combination of Shiraiwa, Hayashi and Tokuyama discloses a sharpening means, but fails to disclose the exact formula that the sharpening means uses in order to correct luminance values in both character and non-character regions. Takagi discloses the exact formula utilized by the sharpening means to obtain luminance values as stated in the application.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the image processing system disclosed in the combination of Shiraiwa and Tokuyama by including the selective sharpening method disclosed in Takagi. Such a modification would have allowed for the use of a method well known in the art in order to implement the selective sharpening of character and non-character regions. Said method could be easily implemented because of the ease with which the transition is made between the sharpening of character regions and the sharpening of non-character regions.

8. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa, Hayashi, and Tokuyama as applied to claim 2 above, and further in view of Pollard (US Patent 6,266,439) and Katsuyama (US Patent 6,035,061). The arguments as to the relevance of the combination of Shiraiwa and Tokuyama in paragraph 5 are incorporated herein.

With regards to claim 4, Tokuyama further discloses a character region extracting means that extracts a region in which the difference between the maximum value and minimum value of luminance of the plurality of pixels in the respective regions is not less than a reference difference value (column 5 lines 6-28, 44-51). A block as disclosed in Tokuyama is analogous to a region containing a plurality of pixels as stated in the application. The (maximum value – minimum value) operation from Tokuyama gives a feature parameter P_a which is then compared to the region separation tables in Figure 13. These tables are analogous to a reference difference value as stated in the application. The combination of Shiraiwa and Tokuyama does not expressly disclose converting the luminance values of pixels into binary form, obtaining blocks of pixels having equal binary-coded luminance or obtaining rectangles circumscribing blocks of connected pixels. Pollard discloses converting the pixels of the image into binary form (column 4 lines 56-62). The process of snapping some pixels to white and snapping other pixels to black as disclosed in Pollard is analogous to converting the pixels into binary form as stated in the application. Pollard also discloses obtaining blocks of connected pixels with the same luminance (column 9, lines 18-22). The contiguous runs disclosed in Pollard are analogous to blocks of connected pixels as stated in the application. The appropriately labeled status pixels disclosed in Pollard are grouped according to luminance classification and are therefore analogous to having the same luminance level as stated in the application. Katsuyama discloses integrating circumscribed rectangles overlapping one another into a single circumscribed rectangle (column 11, lines

Art Unit: 2624

43-48 in conjunction with Figure 15). The unification of rectangles that overlap as disclosed in Katsuyama is analogous to integrating the rectangles as disclosed in the application.

With regards to claim 5, Katsuyama additionally discloses extracting regions in nearly parallel with a predetermined axis line as character regions (column 28 lines 49-58). The table ruled lines as disclosed in Katsuyama are analogous to predetermined reference axis lines that arrange regions in parallel as stated in the application.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the combination of Shiraiwa and Tokuyama by including the binary conversion of pixel values and the grouping together of pixels with the same luminance as taught by Pollard and the integration of circumscribed rectangles and the arrangement of character regions in parallel with a reference axis line as taught by Katsuyama. Such a modification would have allowed for a system of efficiently extracting characters from character regions in an image.

Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

10. Claims 16 and 27 are rejected under 35 U.S.C. 102(b) as being anticipated by Shiraiwa (US Patent 6,201,893).

With respect to claim 16, which is representative of claim 27, Shiraiwa discloses a display means with predetermined gradation characteristics (column 3, line 54 and element 40 of Figure 1: Predetermined gradation characteristics are not explicitly described in Shiraiwa, but it is well known in the art that display devices inherently have gradation characteristics associated with them.).

Shiraiwa also discloses an image input means for inputting an image composed of pixels (column 3, line 52: The reference describes a color image pickup unit (element 10 of Figure 1) that is analogous to the input means recited in the claim).

Shiraiwa discloses a contrast estimation means (discussed in the below paragraph).

Shiraiwa further discloses a luminance correction means. The 'image reproduction processing section' (element 35) is analogous to the claimed luminance correction means (Shiraiwa col. 8 lines 12-16: The reference describes using 'separately determined image reproduction parameters' to determine one specific image reproduction parameter, and then processing the image based on this parameter). Thus, Shiraiwa discloses performing luminance correction (e.g. white balance adjustment, as disclosed at col. 5 lines 27-28). Shiraiwa also discloses that the luminance correction means is based on estimated contrast (e.g. the intensity distribution, or the

Art Unit: 2624

wiener spectrum (which is a measurement of noise power density which requires a contrast estimate for its determination), or the color range (another estimate of contrast), etc.) (col. 4 lines 20-34). Shiraiwa also discloses that the luminance correction means is based on gradation characteristics (col. 4 lines 25-27: The reference describes a 'gradation characteristic', a 'gradation conversion curve', and a 'gradation conversion look up table'). These gradation characteristics are associated with a display device, as is discussed in the above response to arguments.

Regarding the penultimate paragraph ("wherein the luminance correction means corrects the luminance of each of the plurality of pixels with the gradation characteristics of the display means"): This paragraph states the exact language of the paragraph above it, except that it recites that the luminance correction means corrects the luminance of the pixels with gradation characteristics, instead of based on gradation characteristics. This subtle distinction does not appear to alter the scope of the claim, and the paragraph thus seems quite redundant. Accordingly, the discussion of the applicability of Shiraiwa in the above paragraph is incorporated herein.

Shiraiwa also discloses that said display means display an image that has been corrected by said luminance correction means (column 4 lines 48-51).

Regarding claim 18, Shiraiwa disclose a display device—which has linear gradation characteristics.

11. Claims 17 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shiraiwa in view of Kuo (US Patent 5,982,926). The arguments as to the relevance of Shiraiwa as applied above are incorporated herein.

With regard to claim 17, which is representative of claim 28, Shiraiwa discloses a contrast estimation means for estimating contrast of an input image and a luminance correction means for raising the contrast of an input image. Shiraiwa does not define the contrast in terms of a luminance corresponding to lines and dots in the image and a luminance corresponding to the background of the image. Shiraiwa also fails to expressly disclose that the contrast of the image is raised to a maximum contrast corresponding to a lower limit of luminance (V_{min}) and an upper limit of luminance (V_{max}).

Kuo defines the contrast of the input image in terms of luminance components y_{min} and y_{bkg} ($[y_{min}, y_{bkg}]$) (column 9 line 38). Luminance term y_{min} corresponds to the foreground of a textual image document (column 9, lines 29-30 and column 9, line 11). The foreground of a textual image document as disclosed in Kuo is analogous to lines and dots generated in the input image as stated in the application and luminance term y_{min} from Kuo is analogous to L_v as stated in the application. Luminance term y_{bkg} corresponds to the background of an image (column 9, lines 19-21) and is analogous to luminance term H_v as stated in the application.

Kuo further discloses enhancing the contrast of the image by mapping the luminance component from $[y_{min}, y_{bkg}]$ to $[Y_{MIN}, Y_{MAX}]$, where Y_{MIN} and Y_{MAX} are, respectively, the minimum and maximum Y values of available luminances (column 9, lines 37-41). The term $[Y_{MIN}, Y_{MAX}]$ disclosed in Kuo is analogous to $[V_{MIN}, V_{MAX}]$ as stated in the application. The idea of enhancing contrast by mapping luminance components as disclosed in Kuo is analogous to raising the contrast as stated in the application.

Art Unit: 2624

It would have been obvious at the time of the invention to modify Shiraiwa's contrast estimation and luminance correction means by defining contrast of an image in terms of two luminance terms and mapping those luminance terms to minimum and maximum levels in order to enhance the contrast of the image. Such a modification would have allowed for a method that effectively removes blurring from an image and maximizes contrast (Kuo column 9, lines 57-58). It also would have allowed for a contrast enhancing method that utilized the full range of luminance values (Kuo column 8, lines 56-57).

12. Claims 19, 23, 25, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shiraiwa (US Patent 6,201,893) in view of Tokuyama (US Patent 6,240,206). The arguments as to the relevance of Shiraiwa as applied above are incorporated herein.

Regarding claim 19, which is representative of claim 29, Shiraiwa discloses a display means having predetermined gradation characteristics, an image input means for inputting an image composed of a plurality of pixels and a luminance correction means that corrects the luminance of pixels constituting an image based on gradation characteristics. Shiraiwa additionally discloses that said display means displays the image in which the luminance of each of the pixels has been corrected by the luminance correction means. Shiraiwa does not disclose a character region extraction means or a sharpening means.

Tokuyama discloses a character region extracting means for extracting character regions from an image (column 2, lines 20-28). The region separating section (element 12, Figure 1) as disclosed in Tokuyama is analogous to a region extracting means as stated in the application.

Tokuyama discloses carrying out sharpening for the character region at a sharpening level higher than the level of sharpening performed for the remaining regions (Tokuyama col. 11 line 37 – col. 12 line 16 in conjunction with Figure 10). This occurs in the event that the value of XB is between 0 and -25000, the value of XA is between 0 and 50000, and the value of XC is between 0 and 25000. In this situation, the photographic and spot regions (which correspond to XA and XC, respectively) are filtered at one of the predetermined sharpening levels shown in Figures 11(a)-(i) and the character region (which corresponds to XB) is filtered at a sharpening level higher than the other regions. The degree of enhancement as disclosed in Shiraiwa is analogous to the level of sharpening recited in the claim.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the image processing system of Shiraiwa to include character region extraction means and sharpening means for sharpening character regions at a higher level than non-character regions as taught by Tokuyama. Such a modification would have allowed for an image processing apparatus capable of improving the quality of an image comprised of character regions and non-character regions.

With regard to claim 23, Shiraiwa discloses contrast correction means for raising the contrast of the image on the basis of estimated contrast (Shiraiwa column 6 lines 53-59). Shiraiwa discloses performing luminance distribution smoothing processing on an image on the basis of its contrast. Luminance distribution smoothing is a method well known in the art for enhancing the contrast of an image. Enhancing the contrast of an image is

Art Unit: 2624

analogous to raising the contrast of an image or lowering it as needed based on the histogram of luminance levels (column 6 lines 57-58). Said luminance distribution smoothing determines image reproduction parameters for pixel luminance. Said parameters, which are held in the image reproduction parameter determination section (element 32 of Figure 1), are then used by the image reproduction processing section (element 35 of Figure 1) to produce image data. As a result, the combination of the parameter determination section and the processing section as disclosed in Shiraiwa is analogous to contrast correction means as stated in the application.

With regards to claim 25, the combination of Shiraiwa and Tokuyama discloses a system comprised of character region extracting means, sharpening means and luminance correction means. Shiraiwa further discloses performing image reproduction processing on an image where the pixels are represented by three color components (Shiraiwa column 3, lines 65-68 with column 4 lines 1-19). Shiraiwa discloses performing image reproduction processing on digital RGB data, which is analogous to a case where luminance is represented by the sum of predetermined three color components as stated in the application.

Regarding claim 26, Shiraiwa discloses a display device—which has linear gradation characteristics.

13. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa and Tokuyama as applied to claim 19 above, and further in view of Takagi (“Selective Image Sharpening”, Image Analysis Handbook. University of Tokyo Press January 17 1991, page 549).

The combination of Shiraiwa and Tokuyama discloses a sharpening means, but fails to disclose the exact formula that the sharpening means uses in order to correct luminance values in both character and non-character regions. Takagi discloses the exact formula utilized by the sharpening means to obtain luminance values as stated in the application.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the image processing system disclosed in the combination of Shiraiwa and Tokuyama by including the selective sharpening method disclosed in Takagi. Such a modification would have allowed for the use of a method well known in the art in order to implement the selective sharpening of character and non-character regions. Said method could be easily implemented because of the ease with which the transition is made between the sharpening of character regions and the sharpening of non-character regions.

14. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa and Tokuyama as applied to claim 19 above, and further in view of Pollard (US Patent 6,266,439) and Katsuyama (US Patent 6,035,061). The arguments as to the relevance of the combination of Shiraiwa and Tokuyama in paragraph 5 are incorporated herein.

Regarding claim 21, Tokuyama further discloses a character region extracting means that extracts a region in which the difference between the maximum value and minimum value of luminance of the plurality of pixels in

Art Unit: 2624

the respective regions is not less than a reference difference value (column 5 lines 6-28,44-51). A block as disclosed in Tokuyama is analogous to a region containing a plurality of pixels as stated in the application. The (maximum value – minimum value) operation from Tokuyama gives a feature parameter P_a which is then compared to the region separation tables in Figure 13. These tables are analogous to a reference difference value as stated in the application. The combination of Shiraiwa and Tokuyama does not expressly disclose converting the luminance values of pixels into binary form, obtaining blocks of pixels having equal binary-coded luminance or obtaining rectangles circumscribing blocks of connected pixels. Pollard discloses converting the pixels of the image into binary form (column 4 lines 56-62). The process of snapping some pixels to white and snapping other pixels to black as disclosed in Pollard is analogous to converting the pixels into binary form as stated in the application. Pollard also discloses obtaining blocks of connected pixels with the same luminance (column 9, lines 18-22). The contiguous runs disclosed in Pollard are analogous to blocks of connected pixels as stated in the application. The appropriately labeled status pixels disclosed in Pollard are grouped according to luminance classification and are therefore analogous to having the same luminance level as stated in the application. Katsuyama discloses integrating circumscribed rectangles overlapping one another into a single circumscribed rectangle (column 11, lines 43-48 in conjunction with Figure 15). The unification of rectangles that overlap as disclosed in Katsuyama is analogous to integrating the rectangles as disclosed in the application.

Regarding claim 22, Katsuyama additionally discloses extracting regions in nearly parallel with a predetermined axis line as character regions (column 28 lines 49-58). The table ruled lines as disclosed in Katsuyama are analogous to predetermined reference axis lines that arrange regions in parallel as stated in the application.

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the combination of Shiraiwa and Tokuyama by including the binary conversion of pixel values and the grouping together of pixels with the same luminance as taught by Pollard and the integration of circumscribed rectangles and the arrangement of character regions in parallel with a reference axis line as taught by Katsuyama. Such a modification would have allowed for a system of efficiently extracting characters from character regions in an image.

15. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shiraiwa and Tokuyama as applied to claim 19 above, and further in view of Yamazaki (US Patent 5,801,791). The arguments as to the relevance of the combination of Shiraiwa and Tokuyama as applied in paragraph 5 are incorporated herein. The combination of Shiraiwa and Tokuyama discloses contrast estimation means that generate a histogram of pixel luminance for an image. It does not disclose estimating contrast by splitting the histogram into two ranges and comparing maximum luminance values of the ranges to predetermined reference values. Yamazaki discloses splitting a histogram into two ranges based on the average brightness of the input data (column 2 lines 46-51). Yamazaki further discloses using a maximum value and a minimum value from the ranges in order to estimate contrast (column 2 lines 18-31,51-54).

Art Unit: 2624

It would have been obvious to one reasonably skilled in the art at the time of the invention to modify the combination of Shiraiwa and Tokuyama by including contrast estimation means that split a luminance histogram into two ranges and find maximum and minimum values from those ranges. Such a modification would have allowed for a way to display the character regions of an image with a clear outline. (Yamazaki column 1 lines 53-54).

Conclusion

16. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick L Edwards whose telephone number is (571) 272-7390. The examiner can normally be reached on 8:30am - 5:00pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patrick L Edwards

Art Unit 2621

ple


ANDREW W. JOHNS
PRIMARY EXAMINER